

# International Animal Health Products Pty Ltd

Chemwatch: 5419-06 Version No: 2.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Chemwatch Hazard Alert Code: 1

Issue Date: **25/08/2020** Print Date: **09/11/2021** S.GHS.AUS.EN

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

## **Product Identifier**

Product name	ProN8ure Professional Concentrated Multi Strain Probiotic
Chemical Name	Not Applicable
Synonyms	ProN8ure Professional Concentrated Multi Strain Probiotic for Animals And Birds
Chemical formula	Not Applicable
Other means of identification	Not Available

## Relevant identified uses of the substance or mixture and uses advised against

	Concentrated multi-strain probiotic for animals and birds. Mix with water, milk or milk replacer or with feed as per label directions
Relevant identified uses	for specific animal. Should not be used in conjunction with Penicillins, Cephalosporins, Tetracyclines, Avoparin, Gentamycin,
	Lincomycin, Streptomycin, Tiamulin or Tylosin. May be used immediately following these antibiotics.

### Details of the supplier of the safety data sheet

Registered company name	International Animal Health Products Pty Ltd
Address	18 Healey Circuit Huntingwood NSW 2148 Australia
Telephone	+61 2 9672 7944
Fax	+61 2 9672 7988
Website	www.iahp.com.au
Email	info@iahp.com.au

# Emergency telephone number

Association / Organisation	Australian Poison Information Centre
Emergency telephone numbers	13 11 26 (24 Hours)
Other emergency telephone numbers	New Zealand: National Poisons Centre 0800 764 766 (24 hours)

## **SECTION 2 Hazards identification**

## Classification of the substance or mixture

## NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification [1]	Not Applicable

## Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

#### Hazard statement(s)

Not Applicable

#### Supplementary statement(s)

Not Applicable

## Precautionary statement(s) Prevention

Not Applicable

#### Precautionary statement(s) Response

Not Applicable

### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

Not Applicable

## **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
Not Available	100	Ingredients determined not to be hazardous
Legend:	•	2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - awn from C&L * EU IOELVs available

## **SECTION 4 First aid measures**

#### Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with eyes:</li> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<ul> <li>If skin or hair contact occurs:</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If dust is inhaled, remove from contaminated area.</li> <li>Encourage patient to blow nose to ensure clear passage of breathing.</li> <li>If irritation or discomfort persists seek medical attention.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Firefighting measures**

#### Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).

Carbon dioxide.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility result
-----------------------------

Fire Fighting <ul> <li>Alser Tells Righting and tell term location and nature of hazard.</li> <li>Wear treating approprints glue protecting glues.</li> <li>Provent by any means available, splillage from entroning drains or water courses.</li> <li>Lew water delivered as a fine space to control fine and coal diagenera area.</li> <li>OD NOT approach comainers sing water gray from a protected location.</li> <li>If safe to do so, remove containers with water gray from a protected location.</li> <li>If safe to do so, remove containers with water gray from a protected location.</li> <li>If safe to do so, remove containers of whater area.</li> <li>Combustible solid which hums but propagates flame with difficulty: It is estimated that most organic dusts are combustible (orar 70%) - according to the commission dustions regardless of panitolate size or shape and suspender in a sor some other outating medium may form explosive dustair mixtures and result in a fire of sust explosion (including to dust approaches).</li> <li>Organic provemes unan firely duided over a range of concentrations regardless of panitolate size or shape and suspender in a sort some other outating medium may form explosive dustair mixtures and result in a fire of sust explosion (including or the source sequence) in the total stage particular bacteria.</li> <li>Arodi gray exploration (including adding unant (200 mixture) water area of concentrations regardless of homeless to the source of the source of the source of table and total term or plants. In the source water area area of concentrations in the first on the source water area of concentration. NetCo.</li> <li>Weak organica may source of ignition 1. The amore space, with discus dustair, may tome or analy or donometry or the source water area of concentration. NetCo.</li> <li>Weak organica may source origon to the term organic dusta dusta dusta</li></ul>	Advice for firefighters	
<ul> <li>Fire/Explosion Hazard</li> <li>Fire/Explosion Hazard</li> <li>Fire/Explosion Hazard</li> <li>A rough to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosion.</li> <li>Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosion).</li> <li>A void generating dust, particularly olcuds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ginitation, i.e. finance or spake, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular bazard; accumulations of fine dust (420 micron reless) may burn rapidly and fiercely if ginited - particles execteding this limit will generally not from finamable dust clouds; once initiated. Anower, larger particles up to 1400 microns diameter will contribute to the propagation of an explosive limit (LEL) are applicable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (LEL) are applicable to dust clouds but only the LEL is of princical use; - it is often called the 'Wimmum Explosible Concentation', MEC).</li> <li>When processed with finamable liquids/vapor/missi, jinitable (Viyind) mixtures may be formed with combustble dusts. Ignitable mixtures will be lower than the lower than the particular the subscience, at will distude any anti-above the particular bazard is a subsequent pressure rise of explosive force capable of damaing genetical buse to that particular bazard and an be of sufficient force to damaging genet and buse with the material should produce, then intributes, and can be of sufficient force to damage or rupute neighbore to force explosive force way force was them dama fart, and can the of sufficient fores to</li></ul>	Fire Fighting	<ul> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> <li>DO NOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> </ul>
HAZCHEM Not Applicable		<ul> <li>(circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.</li> <li>Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions).</li> <li>Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; conce initiated, however, larger particles up to 1400 microns diameter will contibute to the propagation of an explosive limit (UEL) are applicable to dust clouds but only the LEL is of paractical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the 'Minimum Explosible Concentration', MEC).</li> <li>When processed with flammable liquid/support/sinsta/ingrinable mixture. The Lower Explosive Limit (LEL) of the vapour/dust mixture will increase the rate of explosion pressure rise and the Minimum Ignition Energy (the minimum amount of energy required to ignite dust douds - MIE) will be lower than the pure dust in air mixture. The Lower Explosive Limit (LEL) of the vapour/dust mixture will be lower than the bind/dvalLELs for the vapour/simits or dusts.</li> <li>A dust explosion have reales of large quantities of gaseous products; this in turn creates a subsequent pressure rise of explosive force capable of damaging plant and buildings and injuring people.</li> <li>Usually the initial or primary explosion takes place in a confined space</li></ul>
	HAZCHEM	Not Applicable

# **SECTION 6 Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

See section 8

See section 12

# Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing dust and contact with skin and eyes.</li> <li>Wear protective clothing, gloves, safety glasses and dust respirator.</li> <li>Use dry clean up procedures and avoid generating dust.</li> <li>Sweep up, shovel up or</li> <li>Vacuum up (consider explosion-proof machines designed to be grounded during storage and use).</li> <li>Place spilled material in clean, dry, sealable, labelled container.</li> </ul>
Major Spills	<ul> <li>Moderate hazard.</li> <li>CAUTION: Advise personnel in area.</li> <li>Alert Emergency Services and tell them location and nature of hazard.</li> <li>Control personal contact by wearing protective clothing.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Recover product wherever possible.</li> <li>IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal. IF WET: Vacuum/shovel up and place in labelled containers for disposal.</li> <li>ALWAYS: Wash area down with large amounts of water and prevent runoff into drains.</li> <li>If contamination of drains or waterways occurs, advise Emergency Services.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

# Precautions for safe handling

	Avoid all personal contact, including inhalation.
	Wear protective clothing when risk of exposure occurs.
	Use in a well-ventilated area.
	Prevent concentration in hollows and sumps.
	DO NOT enter confined spaces until atmosphere has been checked.
	DO NOT allow material to contact humans, exposed food or food utensils.
	Avoid contact with incompatible materials.
	When handling, DO NOT eat, drink or smoke.
	Keep containers securely sealed when not in use.
	Avoid physical damage to containers.
	Always wash hands with soap and water after handling.
	Work clothes should be laundered separately. Launder contaminated clothing before re-use.
	Use good occupational work practice.
	Observe manufacturer's storage and handling recommendations contained within this SDS.
	Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
	• Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in
	air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including
	secondary explosions)
	Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.
Safe handling	Establish good housekeeping practices.
	Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.
	• Use continuous suction at points of dust generation to capture and minimise the accumulation of dusts. Particular attention
	should be given to overhead and hidden horizontal surfaces to minimise the probability of a "secondary" explosion. According
	to NFPA Standard 654, dust layers 1/32 in.(0.8 mm) thick can be sufficient to warrant immediate cleaning of the area.
	Do not use air hoses for cleaning.
	Minimise dry sweeping to avoid generation of dust clouds. Vacuum dust-accumulating surfaces and remove to a chemical
	disposal area. Vacuums with explosion-proof motors should be used.
	Control sources of static electricity. Dusts or their packages may accumulate static charges, and static discharge can be a
	source of ignition.
	Solids handling systems must be designed in accordance with applicable standards (e.g. NFPA including 654 and 77) and other national survivance.
	other national guidance.
	<ul> <li>Do not empty directly into flammable solvents or in the presence of flammable vapors.</li> <li>The operators the period and environment must be grounded with electrical banding and grounding systems.</li> </ul>
	The operator, the packaging container and all equipment must be grounded with electrical bonding and grounding systems. Plastic bags and plastics cannot be grounded, and antistatic bags do not completely protect against development of static
	charges.
	Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in
	the presence of an appropriate ignition source.
	Do NOT cut, drill, grind or weld such containers.
	In addition ensure such activity is not performed near full, partially empty or empty containers without appropriate workplace
	safety authorisation or permit.

	Store in original containers.
	Keep containers securely sealed.
	<ul> <li>Store in a cool, dry area protected from environmental extremes.</li> </ul>
	Store away from incompatible materials and foodstuff containers.
	Protect containers against physical damage and check regularly for leaks.
Other information	Observe manufacturer's storage and handling recommendations contained within this SDS.
	For major quantities:
	Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including
	stormwater, ground water, lakes and streams).
	• Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require
	consultation with local authorities.

# Conditions for safe storage, including any incompatibilities

Suitable container	2g sachet made from paper, plastic and aluminium foil. <ul> <li>Check that containers are clearly labelled</li> <li>Packaging as recommended by manufacturer.</li> </ul>
Storage incompatibility	Avoid reaction with oxidising agents

# **SECTION 8 Exposure controls / personal protection**

## **Control parameters**

## Occupational Exposure Limits (OEL)

## INGREDIENT DATA

## Not Available

#### Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
ProN8ure Professional Concentrated Multi Strain Probiotic	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
ProN8ure Professional Concentrated Multi Strain Probiotic	Not Available		Not Available	

## **Exposure controls**

-	
Appropriate engineering controls	None required when handling small quantities.         OTHERWISE:         Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.         The basic types of engineering controls are:         Process controls which involve changing the way a job activity or process is done to reduce the risk.         Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilatio that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.         Employers may need to use multiple types of controls to prevent employee overexposure.         • Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relativel large, a certain proportion will be powdered by mutual friction.         • Exhaust ventilation should be designed to prevent accumulation and recirculation of particulates in the workplace.         • If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:         (a): particle dust respirators, if necessary, combined with an absorption cartridge;         (b): filter respirators with absorption cartridge or canister of the right type;         (c): fresh-air

	direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)		1-2.5 m/s (200-500 f/min.)
	grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).		2.5-10 m/s (500-2000 f/min.)
	Within each range the appropriate value depends on:		
	Lower end of the range	Upper end of the range	
	1: Room air currents minimal or favourable to capture	1: Disturbing room air currents	
	2: Contaminants of low toxicity or of nuisance value only	2: Contaminants of high toxicity	
	3: Intermittent, low production.	3: High production, heavy use	
	4: Large hood or large air mass in motion	4: Small hood-local control only	
	generally decreases with the square of distance from the ex extraction point should be adjusted, accordingly, after refere extraction fan, for example, should be a minimum of 4-10 m distant from the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are installed or used.	nce to distance from the contaminating so /s (800-2000 f/min) for extraction of crushe ations, producing performance deficits wit	ource. The air velocity at the er dusts generated 2 metres hin the extraction
Personal protection			
Eye and face protection	<ul> <li>No special equipment for minor exposure i.e. when handling OTHERWISE:</li> <li>Safety glasses with side shields.</li> <li>Contact lenses may pose a special hazard; soft contact document, describing the wearing of lenses or restriction include a review of lens absorption and adsorption for th Medical and first-aid personnel should be trained in their event of chemical exposure, begin eye irrigation immedia be removed at the first signs of eye redness or irritation have washed hands thoroughly. [CDC NIOSH Current In</li> </ul>	lenses may absorb and concentrate irritar is on use, should be created for each wor e class of chemicals in use and an accour removal and suitable equipment should b ately and remove contact lens as soon as - lens should be removed in a clean enviro	kplace or task. This should nt of injury experience. be readily available. In the practicable. Lens should pomment only after workers
Skin protection	See Hand protection below		
Hands/feet protection	No special equipment needed when handling small quantities. OTHERWISE: Wear chemical protective gloves, e.g. PVC.		
Body protection	See Other protection below		
Other protection	No special equipment needed when handling small quantitie <b>OTHERWISE:</b> • Overalls. • Barrier cream. • Eyewash unit.	95.	

### **Respiratory protection**

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

\* - Negative pressure demand \*\* - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

• Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be

government mandated or vendor recommended.

• Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

• Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

- Use approved positive flow mask if significant quantities of dust becomes airborne.
- Try to avoid creating dust conditions.

## **SECTION 9** Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance White to off-white powder; mixes with water. Bulk density: 0.7-0.8 g/mL

Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (%)	Not Available
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

#### **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

#### Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.
---------	--

Ingestion	<ul> <li>of the lack of corroborating animal or human evidence.</li> <li>The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Dire</li> </ul>	ctives
Skin Contac	<ul> <li>using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitate be used in an occupational setting.</li> <li>Open cuts, abraded or irritated skin should not be exposed to this material</li> <li>Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful examine the skin prior to the use of the material and ensure that any external damage is suitably protected.</li> </ul>	0
Eye	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cau transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may al	
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particulars than 0.5 micron penetrating and remaining in the lung.	irticles

ProN8ure Professional	ΤΟΧΙΟΙΤΥ	IRRITATION	
Concentrated Multi Strain Probiotic	Not Available	Not Available	
Legend:	<ol> <li>Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS.</li> <li>Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances</li> </ol>		

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend: X − Data either not available or does not fill the criteria for classification ✓ − Data available to make classification

## **SECTION 12 Ecological information**

Toxicity		

ProN8ure Professional	Endpoint	Test Duration (hr)	Species	Value	Source
Concentrated Multi Strain Probiotic	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

#### DO NOT discharge into sewer or waterways.

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

# **Bioaccumulative potential**

Ingredient	Bioaccumulation
	No Data available for all ingredients

# Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

# **SECTION 13 Disposal considerations**

#### Waste treatment methods

Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: • Reduction • Reuse • Recycling • Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted. • DO NOT allow wash water from cleaning or process equipment to enter drains. • It may be necessary to collect all wash water for treatment before disposal. • In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. • Where in doubt contact the responsible authority.
	<ul> <li>Recycle wherever possible.</li> </ul>
	Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
	<ul> <li>Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material)</li> </ul>
	Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

#### **SECTION 14 Transport information**

#### Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

## Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

#### Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name Group

#### Transport in bulk in accordance with the ICG Code

Product name

Ship Type

### **SECTION 15 Regulatory information**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

# **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Not Available
Canada - DSL	Not Available
Canada - NDSL	Not Available
China - IECSC	Not Available
Europe - EINEC / ELINCS / NLP	Not Available
Japan - ENCS	Not Available
Korea - KECI	Not Available
New Zealand - NZIoC	Not Available
Philippines - PICCS	Not Available

National Inventory	Status
USA - TSCA	Not Available
Taiwan - TCSI	Not Available
Mexico - INSQ	Not Available
Vietnam - NCI	Not Available
Russia - FBEPH	Not Available
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

## **SECTION 16 Other information**

Revision Date	25/08/2020
Initial Date	25/08/2020

## Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors **BEI: Biological Exposure Index** AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances